



FAIR Data Maturity Model

Specification and Guidelines

2020

Proposed RDA Recommendation
Produced by: FAIR Data Maturity Model WG, 2019-2020

<https://www.rd-alliance.org/groups/fair-data-maturity-model-wg>

Document metadata

<i>Identifier</i>	DOI: 10.15497/rda00045
<i>Title</i>	FAIR Data Maturity Model: specification and guidelines
<i>Description</i>	The FAIR Data Maturity Model defines a set of indicators, their priorities and evaluation methods for the evaluation of the FAIR principles to be used as a common approach across assessment methodologies.
<i>Date issued</i>	2020-04-14
<i>Version</i>	Proposed recommendation; version for public review
<i>Contributors</i>	RDA FAIR Data Maturity Model Working Group
<i>Licence</i>	Creative Commons Attribution 4.0 International (CC BY 4.0)

History of the discussions in the Working Group that led to this document can be viewed in the comments made in the [Google document](#) and [GitHub repository](#).

Table of contents

1	Introduction	4
1.1	Context	4
1.2	Objective	4
1.3	Use of this document	4
2	Framework	6
2.1	Indicators	6
2.2	Priorities	7
2.3	Evaluation methods	7
3	Indicators	9
3.1	List of indicators	9
3.2	Indicators for Findable	10
3.3	Indicators for Accessible	14
3.4	Indicators for Interoperable	20
3.5	Indicators for Reusable	26
4	Priorities	31
4.1	Essential indicators	32
4.2	Important indicators	33
4.3	Useful indicators	34
5	Evaluation methods	35
5.1	Measuring progress	35
5.2	Measuring pass-or-fail	36
5.3	Combined approach	38
6	Future maintenance	40
7	Glossary	41
8	Working Group materials	47

Table of figures

Figure 1 Distribution of priorities	31
Figure 2 Five maturity levels.....	35
Figure 3 'Measuring progress' visualisation	36
Figure 4 Five compliance levels	37
Figure 5 'Measuring pass or fail' visualisation	38

List of tables

Table 1 FAIR data maturity model indicators	9
Table 2 Distribution of priorities per FAIR area	31
Table 3 Essential indicators	32
Table 4 Important indicators.....	33
Table 5 Useful indicators	34
Table 6 Glossary	41
Table 7 Working group presentations and meeting reports	47

1 Introduction

1.1 Context

Findability, Accessibility, Interoperability and Reusability – the FAIR principles – intend to define a minimal set of related but independent and separable guiding principles and practices that enable both machines and humans to find, access, interoperate and re-use research data and metadata. The FAIR principles have to be considered as inspiring concepts but not strict rules. Unfortunately, they often lead to diverse interpretations and ambiguity.

To remedy the proliferation of FAIRness measurements based on different interpretations of the principles, the RDA Working Group “[FAIR data maturity model](#)” established in January 2019 aims to develop a common set of core assessment criteria for FAIRness, as an RDA Recommendation. In the course of 2019 and the first half of 2020, the WG established a set of indicators and maturity levels for those indicators.

As a result of the work, a first set of guidelines and a checklist related to the implementation of the indicators were produced, with the objective to further align the guidelines for evaluating FAIRness with the needs of the community.

1.2 Objective

This document specifies the indicators for the FAIR assessment designed for re-use in evaluation approaches and provides guidelines for their use. The guidelines are intended to assist evaluators to implement the indicators in the evaluation approach or tool they manage.

The exact way to evaluate data based on the core criteria is up to the owners of the evaluation approaches, taking into account the requirements of their community. The objective here is then to make sure that the indicators, the maturity levels and the prioritisation are understood in the same way. The maturity model is not meant as a “how to”, but instead as a way to normalise assessment.

1.3 Use of this document

The FAIR data maturity model guidelines primarily address owners of (FAIR) assessment methodologies, including questionnaires and automated tools, as listed for example in FAIRassist¹.

Nevertheless, this document is not only restricted to these stakeholders. It may also be used by researchers, data service owners, funders and infrastructures in different scientific and research disciplines, industry and the public sector, who are active and/or interested in the FAIR data principles and in particular in assessment criteria and methodologies for evaluating their real-life uptake and implementation level.

¹ <https://fairassist.org>

This document provides definitions and examples for every indicator - as mentioned above - in order to avoid confusion or ambiguity, and aims to provide a clear outline of the framework (i.e. indicators with their maturity levels and priorities) linking the indicators to the principles, and suggesting the way the indicators may be evaluated.

The remainder of this document is structured as follows:

- Section 2 “Framework” describes the three main components of the FAIR data maturity model, namely (1) the indicators, (2) the priorities and (3) the evaluation method.
- Section 3 “Indicators” lays out the indicators per FAIR principle. Each indicator is defined in the most neutral and explicit fashion. Additionally, some context is provided to help assess the indicators.
- Section 4 “Priorities” presents the indicators and their respective priorities.
- Section 5 “Evaluation methods” gives details on possible evaluation methods.
- Section 6 “Future maintenance” indicates the way future maintenance is going to be done.
- Section 7 “Glossary” contains a list of terms that are used in this document and their definitions.
- Section 8 “Working Group materials” provides links to presentations and reports of the meetings of the Working Group.

2 Framework

The framework of the FAIR Data Maturity Model consists of three elements:

- Indicators, i.e. the individual aspects of FAIRness that are evaluated
- Priorities, i.e. the relative importance of the indicators
- Evaluation method, i.e. the way that the results of the evaluation of the indicators can be given a value

2.1 Indicators

The indicators that are used in the FAIR data maturity model are derived from the FAIR principles and aim to formulate measurable aspects of each principle that can be used by evaluation approaches. They were developed in a process of decomposition of the text of the FAIR principles and explanations provided in the original article², a later clarifying article³ and by GO-FAIR⁴. The FAIR principles are taken as they are; in other words, the indicators do not aim to extend or modify the principles but only cover aspects that are mentioned in the principles themselves or in the additional clarifications.

An indicator aims to measure the state or level of a digital resource with regard to a specific FAIR principle (e.g. F1, A2). The indicators developed as part of the RDA FAIR data maturity model working group have the sole purpose of answering the question 'What needs to be measured to assess the FAIRness of a digital object' and not 'How to measure the FAIRness of a digital object'. Nevertheless, the guidelines for each of the indicators in section 3 provide examples of how an indicator could be evaluated or where information to be used for the evaluation may be found.

The indicators can be used not only in the context of data in the conventional sense but also in the context of data-related algorithms, tools, workflows, protocols and other data-related services that are produced or managed, in as far as they are made available as digital objects.

The approach in the development was to create an indicator for each aspect that could be distinguished in the description of the principle; for example, where the principle talks about a *persistent* and *globally unique* identifier, two indicators are defined, one to evaluate persistence and one to evaluate global uniqueness. Also, separate indicators are defined for metadata and for data, wherever a principle refers to '(meta)data' and the evaluation of the aspect for metadata is different from the evaluation for data.

² Mark D. Wilkinson et. al. The FAIR Guiding Principles for scientific data management and stewardship. 2016. DOI: 10.1038/sdata.2016.18

³ Annika Jacobsen et. al. FAIR Principles: Interpretations and Implementation Considerations. 2020. DOI: 10.1162/dint_r_00024

⁴ GO-FAIR. <https://www.go-fair.org/fair-principles/>

The indicators presented in this document were developed by the RDA FAIR Data Maturity Working Group between January 2019 and June 2020. Further details are given in section 3.

2.2 Priorities

In addition to a list of indicators that can be used as a common set of aspects that can be tested to evaluate FAIRness, the Working Group also assigned priorities to these indicators. This is based on the understanding that some of the indicators are more important than others. Looking at this from the perspective of a data provider or publisher, the most important aspects would contribute the most toward improvement in terms of effort versus benefits.

Three levels of importance are defined:

- **Essential:** such an indicator addresses an aspect that is of the utmost importance to achieve FAIRness under most circumstances, or, conversely, FAIRness would be practically impossible to achieve if the indicator were not satisfied.
- **Important:** such an indicator addresses an aspect that might not be of the utmost importance under specific circumstances, but its satisfaction, if at all possible, would substantially increase FAIRness.
- **Useful:** such an indicator addresses an aspect that is nice-to-have but is not could indicator MAY be satisfied, but not necessarily indispensable.

Further details of the priorities of the indicators are given in section 4.

2.3 Evaluation methods

The indicators defined in the FAIR Data Maturity Model can be used in several ways to evaluate data resources and their metadata.

First of all, the indicators are primarily intended to be used as a grounding set for evaluation methodologies, each of which can define their own questions or metrics, using the aspects underlying the indicators, so that the result of an evaluation is comparable to an evaluation using another methodology.

There are two different perspectives that evaluation methodologies can have:

1. **Measuring progress:** in this perspective, the emphasis lies on delivering a measure of the extent to which a resource under evaluation meets the requirements expressed in an indicator, giving an indication of which steps may be taken to achieve full satisfaction of an indicator.

2. **Measuring pass-or-fail:** in this perspective, the emphasis lies on determining whether a resource under evaluation meets the requirement of an indicator on a binary, pass-or-fail scale, providing a measure of how a resource under evaluation performs in reaching a particular target level of FAIRness.

Details of the two evaluation methods are given in section 5.

3 Indicators

3.1 List of indicators

Table 1 FAIR data maturity model indicators

FAIR	ID	Indicator	Priority
F1	RDA-F1-01M	Metadata is identified by a persistent identifier	●●● Essential
F1	RDA-F1-01D	Data is identified by a persistent identifier	●●● Essential
F1	RDA-F1-02M	Metadata is identified by a globally unique identifier	●●● Essential
F1	RDA-F1-02D	Data is identified by a globally unique identifier	●●● Essential
F2	RDA-F2-01M	Rich metadata is provided to allow discovery	●●● Essential
F3	RDA-F3-01M	Metadata includes the identifier for the data	●●● Essential
F4	RDA-F4-01M	Metadata is offered in such a way that it can be harvested and indexed	●●● Essential
A1	RDA-A1-01M	Metadata contains information to enable the user to get access to the data	●● Important
A1	RDA-A1-02M	Metadata can be accessed manually (i.e. with human intervention)	●●● Essential
A1	RDA-A1-02D	Data can be accessed manually (i.e. with human intervention)	●●● Essential
A1	RDA-A1-03M	Metadata identifier resolves to a metadata record	●●● Essential
A1	RDA-A1-03D	Data identifier resolves to a digital object	●●● Essential
A1	RDA-A1-04M	Metadata is accessed through standardised protocol	●●● Essential
A1	RDA-A1-04D	Data is accessible through standardised protocol	●●● Essential
A1	RDA-A1-05D	Data can be accessed automatically (i.e. by a computer program)	●● Important
A1.1	RDA-A1.1-01M	Metadata is accessible through a free access protocol	●●● Essential
A1.1	RDA-A1.1-01D	Data is accessible through a free access protocol	●● Important
A1.2	RDA-A1.2-02D	Data is accessible through an access protocol that supports authentication and authorisation	● Useful
A2	RDA-A2-01M	Metadata is guaranteed to remain available after data is no longer available	●●● Essential
I1	RDA-I1-01M	Metadata uses knowledge representation expressed in standardised format	●● Important
I1	RDA-I1-01D	Data uses knowledge representation expressed in standardised format	●● Important
I1	RDA-I1-02M	Metadata uses machine-understandable knowledge representation	●● Important
I1	RDA-I1-02D	Data uses machine-understandable knowledge representation	●● Important
I2	RDA-I2-01M	Metadata uses FAIR-compliant vocabularies	●● Important

FAIR	ID	Indicator	Priority
I2	RDA-I2-01D	Data uses FAIR-compliant vocabularies	● Useful
I3	RDA-I3-01M	Metadata includes references to other metadata	●● Important
I3	RDA-I3-01D	Data includes references to other data	● Useful
I3	RDA-I3-02M	Metadata includes references to other data	● Useful
I3	RDA-I3-02D	Data includes qualified references to other data	● Useful
I3	RDA-I3-03M	Metadata includes qualified references to other metadata	●● Important
I3	RDA-I3-04M	Metadata include qualified references to other data	● Useful
R1	RDA-R1-01M	Plurality of accurate and relevant attributes are provided to allow reuse	●●● Essential
R1.1	RDA-R1.1-01M	Metadata includes information about the licence under which the data can be reused	●●● Essential
R1.1	RDA-R1.1-02M	Metadata refers to a standard reuse licence	●● Important
R1.1	RDA-R1.1-03M	Metadata refers to a machine-understandable reuse licence	●● Important
R1.2	RDA-R1.2-01M	Metadata includes provenance information according to community-specific standards	●● Important
R1.2	RDA-R1.2-02M	Metadata includes provenance information according to a cross-community language	● Useful
R1.3	RDA-R1.3-01M	Metadata complies with a community standard	●●● Essential
R1.3	RDA-R1.3-01D	Data complies with a community standard	●●● Essential
R1.3	RDA-R1.3-02M	Metadata is expressed in compliance with a machine-understandable community standard	●●● Essential
R1.3	RDA-R1.3-02D	Data is expressed in compliance with a machine-understandable community standard	●● Important

3.2 Indicators for Findable

RDA-F1-01M Metadata identified by a persistent identifier

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *F1 (meta)data are assigned a globally unique and eternally persistent identifier*. More information about that principle can be found [here](#).

Description of the indicator RDA-F1-01M

This indicator evaluates whether or not the metadata is identified by a persistent identifier. A persistent identifier ensures that the metadata will remain findable over time, and reduces the risk of broken links.

Assessment details

The persistence of an identifier is determined by the commitment of the organisation that assigns and manages the identifier, so the evaluation of this indicator needs to take into account the persistence policy of that organisation. Such a commitment could be expressed by a university or research institute, by a research infrastructure or by an organisation that issues formal identifiers, such as the International DOI Foundation. A possible way to evaluate this indicator is to verify that the identifier used for the metadata is listed in a registry service like the RDA-endorsed FAIRsharing.⁵

RDA-F1-01D Data identified by a persistent identifier

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *F1 (meta)data are assigned a globally unique and eternally persistent identifier*. More information about that principle can be found [here](#).

Description of the indicator RDA-F1-01D

This indicator evaluates whether or not the data is identified by a persistent identifier. A persistent identifier ensures that the data will remain findable over time, and reduces the risk of broken links.

Assessment details

The persistence of an identifier is determined by the commitment of the organisation that assigns and manages the identifier, so the evaluation of this indicator needs to take into account the persistence policy of that organisation. Such a commitment could be expressed by a university or research institute, by a research infrastructure or by an organisation that issues formal identifiers, such as the International DOI Foundation. A possible way to evaluate this indicator is to verify that the identifier used for the data is listed in a registry service like the RDA-endorsed FAIRsharing.

RDA-F1-02M Metadata is identified by a globally unique identifier

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *F1 (meta)data are assigned a globally unique and eternally persistent identifier*. More information about that principle can be found [here](#).

⁵ https://fairsharing.org/standards/?q=&selected_facets=type_exact:identifier%20schema

Description of the indicator RDA-F1-02M

The indicator serves to evaluate whether the identifier of the metadata is globally unique, i.e. that there are no two identical identifiers that identify different metadata records.

Assessment details

Global uniqueness of identifiers should be evaluated based on a description of how identifiers are assigned. Such a description should make it clear that the mechanism for assigning identifiers cannot possibly assign the same identifier to different resources, or assign an identifier that has already been assigned via some other mechanism/organisation. A possible way to evaluate this indicator is to verify that the identifier used for the data is listed in a registry service like the RDA-endorsed FAIRsharing.

RDA-F1-02D Data is identified by a globally unique identifier

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *F1 (meta)data are assigned a globally unique and eternally persistent identifier*. More information about that principle can be found [here](#).

Description of the indicator RDA-F1-02D

The indicator serves to evaluate whether the identifier of the data is globally unique, i.e. that there are no two people that would use that same identifier for two different digital objects.

Assessment details

Global uniqueness of identifiers should be evaluated based on a description of how identifiers are assigned. Such a description should make it clear that the mechanism for assigning identifiers cannot possibly assign the same identifier to different resources or assign an identifier that has already been assigned via some other mechanism/organisation.

RDA-F2-01M Rich metadata is provided to allow discovery

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *F2: Data are described with rich metadata*. More information about that principle can be found [here](#).

Description of the indicator RDA-F2-01M

The indicator is about the presence of metadata, but also about how much metadata is provided and how well the provided metadata supports discovery.

Assessment details

This indicator can be evaluated by verifying that metadata is provided. The amount of metadata to be provided may also be part of the metadata policy of the repository where the data is published.

RDA-F3-01M Metadata includes the identifier for the data

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *F3: Metadata clearly and explicitly include the identifier of the data they describe*. More information about that principle can be found [here](#).

Description of the indicator RDA-F3-01M

The indicator deals with the inclusion of the reference (i.e. the identifier) of the digital object in the metadata so that the digital object can be accessed.

Assessment details

This indicator can be evaluated by verifying that the identifier of the data is included in the metadata element that is specified for that purpose in the metadata standard used, for example in an "about" or "describes" predicate, or a Link Relation⁶ such as "describes"/"describedBy".

RDA-F4-01M Metadata is offered in such a way that it can be harvested and indexed

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *F4: (Meta)data are registered or indexed in a searchable resource*. More information about that principle can be found [here](#).

⁶ <https://www.iana.org/assignments/link-relations/link-relations.xhtml>

Description of the indicator RDA-F4-01M

The indicator tests whether the metadata is offered in such a way that it can be indexed. In some cases, metadata could be provided together with the data to a local institutional repository or to a domain-specific or regional portal, or metadata could be included in a landing page where it can be harvested by a search engine. The indicator remains broad enough on purpose not to limit the way how and by whom the harvesting and indexing of the data might be done.

Assessment details

This indicator can be evaluated by verifying that the metadata is made available for indexing. This is the case when the metadata is in fact harvested and indexed, for example in a general search engine or in a more restricted index, such as an institutional repository or a discipline-specific portal.

3.3 Indicators for Accessible

RDA-A1-01M Metadata contains information to enable the user to get access to the data

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *A1: (Meta)data are retrievable by their identifier using a standardised communication protocol*. More information about that principle can be found [here](#).

Description of the indicator RDA-A1-01M

The indicator refers to the information that is necessary to allow the requester to gain access to the digital object. It is (i) about whether there are restrictions to access the data (i.e. access to the data may be open, restricted or closed), (ii) the actions to be taken by a person who is interested to access the data, in particular when the data has not been published on the Web and (iii) specifications that the resources are available through eduGAIN⁷ or through specialised solutions such as proposed for EPOS⁸.

⁷ <https://edugain.org/>

⁸ <https://www.epos-ip.org/progress-epos-authentication-and-authorisation-solutions>

Assessment details

The indicator can be evaluated by looking at the information that is provided in the metadata about (i) access conditions according to the metadata standard used, (ii) information that describes the actions to be taken. This can be included in the metadata or in some other place, for example on a landing page of the digital object and (iii) the requirements to be satisfied in order to gain access to the data. This may be machine-understandable information in which case the evaluation could be automated by processing the information. If it is human-readable information, the evaluator can follow the instructions and verify that this allow access to the data.

RDA-A1-02M Metadata can be accessed manually (i.e. with human intervention)

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *A1: (Meta)data are retrievable by their identifier using a standardised communication protocol*. More information about that principle can be found [here](#).

Description of the indicator RDA-A1-02M

The indicator refers to any human interactions that are needed if the requester wants to access metadata. The FAIR principle refers mostly to automated interactions where a machine is able to access the metadata, but there may also be metadata that require human interactions. This may be important in cases where the metadata itself contains sensitive information. Human interaction might involve sending an e-mail to the metadata owner, or calling by telephone to receive instructions.

Assessment details

The indicator can be evaluated by looking for information about the way that metadata can be accessed with human intervention, either in documentation, for example in a landing page, or in metadata about the metadata in cases where there is multi-layered metadata, for example using CatalogRecord in [DCAT](#).

RDA-A1-02D Data can be accessed manually (i.e. with human intervention)

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *A1: (Meta)data are retrievable by their identifier using a standardised communication protocol*. More information about that principle can be found [here](#).

Description of the indicator A1-01D

The indicator refers to any human interactions that are needed if the requester wants to access the digital object. The FAIR principle refers mostly to automated interactions where a machine is able to access the digital object, but there may also be digital objects that require human interactions, such as clicking on a link on a landing page, sending an e-mail to the data owner, or even calling by telephone.

Assessment details

The indicator can be evaluated by looking for information in the metadata that describes how access to the digital object can be obtained through human intervention.

RDA-A1-03M Metadata identifier resolves to a metadata record

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *A1: (Meta)data are retrievable by their identifier using a standardised communication protocol*. More information about that principle can be found [here](#).

Description of the indicator A1-02M

This indicator is about the resolution of the metadata identifier. The identifier assigned to the metadata should be associated with a resolution service that enables access to the metadata record.

Assessment details

The indicator can be evaluated by checking that the metadata can be accessed using its identifier. The evaluator or evaluation tool may also want to verify that the resolution delivers the correct metadata record.

RDA-A1-03D Data identifier resolves to a digital object

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *A1: (Meta)data are retrievable by their identifier using a standardised communication protocol*. More information about that principle can be found [here](#).

Description of the indicator RDA-A1-03D

This indicator is about the resolution of the identifier that identifies the digital object. The identifier assigned to the data should be associated with a formally defined retrieval/resolution mechanism that enables access to the digital object, or provides access instructions for access in the case of human-mediated access. The FAIR principle and this indicator do not say anything about the mutability or immutability of the digital object that is identified by the data identifier -- this is an aspect that should be governed by a persistence policy of the data provider.

Assessment details

The indicator can be evaluated by invoking the mechanism specific to the protocol (e.g. GET for HTTP) and verifying that this delivers the digital object.

RDA-A1-04M Metadata is accessed through standardised protocol

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *A1: (Meta)data are retrievable by their identifier using a standardised communication protocol.* More information about that principle can be found [here](#).

Description of the indicator RDA-A1-04M

The indicator concerns the protocol through which the metadata is accessed and requires the protocol to be defined in a standard.

Assessment details

This indicator can be evaluated by looking at the way the metadata can be accessed. Common metadata access protocols are HTTP and FTP, Atom⁹, OAI-PMH¹⁰ and Web Services Metadata Exchange¹¹.

⁹ Internet Engineering Task Force. The Atom Publishing Protocol. <https://tools.ietf.org/html/rfc5023>

¹⁰ Open Archives Initiative. Protocol for Metadata Harvesting. <https://www.openarchives.org/pmh/>

¹¹ W3C. Web Services Metadata Exchange (WS-MetadataExchange). <https://www.w3.org/TR/ws-metadata-exchange/>

RDA-A1-04D Data is accessible through standardised protocol

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *A1: (Meta)data are retrievable by their identifier using a standardised communication protocol.* More information about that principle can be found [here](#).

Description of the indicator RDA-A1-04D

The indicator concerns the protocol through which the digital object is accessed and requires the protocol to be defined in a standard.

Assessment details

This indicator can be evaluated by looking at the way the data can be accessed. Common data access protocols are HTTP and FTP, DAP¹² and JSON-RPC¹³.

RDA-A1-05D Data can be accessed automatically (i.e. by a computer program)

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *A1: (Meta)data are retrievable by their identifier using a standardised communication protocol.* More information about that principle can be found [here](#).

Description of the indicator RDA-A1-05D

The indicator refers to automated interactions between machines to access digital objects. The way machines interact and grant access to the digital object will be evaluated by the indicator.

Assessment details

This indicator can be evaluated by resolving the link to the data, e.g. by resolving the persistent identifier and verifying that the data is reached. In the common case that the identifier is an HTTP URI, this can be done using the HTTP GET method. The evaluator or evaluation tool may also want to verify that the resolution delivers the correct data.

¹² <https://cdn.earthdata.nasa.gov/conduit/upload/512/ESE-RFC-004v1.1.pdf>

¹³ <https://www.jsonrpc.org/>

RDA-A1.1-01M Metadata is accessible through a free access protocol

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *A1.1: The protocol is open, free and universally implementable*. More information about that principle can be found [here](#).

Description of the indicator RDA-A1.1-01M

The indicator tests that the protocol that enables the requester to access metadata can be freely used. Such free use of the protocol enhances data reusability.

Assessment details

The indicator can be evaluated on the basis of information provided about whether the use of the protocol is free of charge. Common examples are HTTP and FTP.

RDA-A1.1-01D Data is accessible through a free access protocol

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *A1.1: The protocol is open, free and universally implementable*. More information about that principle can be found [here](#).

Description of the indicator RDA-A1.1-01D

The indicator requires that the protocol can be used free of charge which facilitates unfettered access.

Assessment details

This indicator can be evaluated by verifying that the protocol is free of charge. This is the case for most protocols in use, for example HTTP and FTP.

RDA-A1.2-02D Data is accessible through an access protocol that supports authentication and authorisation

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *A1.2: The protocol allows for an authentication and authorisation where necessary*. More information about that principle can be found [here](#).

Description of the indicator RDA-A1.2-01D

The indicator requires the way that access to the digital object can be authenticated and authorised and that data accessibility is specifically described and adequately documented.

Assessment details

The indicator can be evaluated by assessing whether an authentication and authorisation process is present in the protocol (e.g. HMAC).

RDA-A2-01M Metadata is guaranteed to remain available after data is no longer available

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *A2: Metadata should be accessible even when the data is no longer available*. More information about that principle can be found [here](#).

Description of the indicator RDA-A2-01M

The indicator intends to verify that information about a digital object is still available after the object has been deleted or otherwise has been lost. If possible, the metadata that remains available should also indicate why the object is no longer available.

Assessment details

The indicator can be evaluated on the basis of information provided about the life cycle of metadata and data, which should indicate that the metadata will remain available if the data is no longer available. This information is likely to be available from the repository where the metadata and data are stored.

3.4 Indicators for Interoperable

RDA-I1-01M Metadata uses knowledge representation expressed in standardised format

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *I1: (Meta)data use a formal, accessible, shared, and broadly applicable language for knowledge representation*. More information about that principle can be found [here](#).

Description of the indicator RDA-I1-01M

The indicator serves to determine that an appropriate standard is used to express knowledge, for example, controlled vocabularies for subject classifications.

Assessment details

The indicator can be evaluated by looking at information describing the way metadata values are expressed using controlled vocabularies, verifying that the standard used is appropriate for the domain and the type of digital object. Deciding on the appropriateness of the standardised format may be based on its inclusion in a registry like the one developed by FAIRsharing.

RDA-I1-01D Data uses knowledge representation expressed in standardised format

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *I1: (Meta)data use a formal, accessible, shared, and broadly applicable language for knowledge representation*. More information about that principle can be found [here](#).

Description of the indicator RDA-I1-01D

The indicator serves to determine that an appropriate standard is used to express knowledge, in particular the data model and format.

Assessment details

The indicator can be evaluated by looking at information about the data model and format, verifying that the standard used is appropriate for the domain and the type of digital object. Deciding on the appropriateness of the knowledge representation may be based on its inclusion in a registry like the one developed by FAIRsharing.

RDA-I1-02M Metadata uses machine-understandable knowledge representation

Principle to which the indicator relates

This indicator is linked to the following principle: *I1: (Meta)data use a formal, accessible, shared, and broadly applicable language for knowledge representation*. More information about that principle can be found [here](#).

Description of the indicator RDA-I1-02M

This indicator focuses on the machine-understandability aspect of the metadata. This means that metadata should be readable and thus interoperable for machines without any requirements such as specific translators or mappings.

Assessment details

This indicator can be evaluated by looking at the knowledge representation model used for the expression of the metadata. Examples are RDF, OWL, JSON-LD and SKOS. Information about models and formats can be looked up in a registry like the RDA-endorsed FAIRsharing (see https://fairsharing.org/standards/?q=&selected_facets=type_exact:model/format for example):

RDA-I1-02D Data uses machine-understandable knowledge representation

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *I1: (Meta)data use a formal, accessible, shared, and broadly applicable language for knowledge representation.* More information about that principle can be found [here](#).

Description of the indicator RDA-I1-02D

This indicator focuses on the machine-understandability aspect of the data. This means that data should be readable and thus interoperable for machines without any requirements such as specific translators or mappings.

Assessment details

This indicator can be evaluated by looking at the knowledge representation model used for the expression of the data. Examples are RDF, OWL, JSON-LD and SKOS. Information about models and formats can be looked up in a registry like the RDA endorsed FAIRsharing (see for https://fairsharing.org/standards/?q=&selected_facets=type_exact:model/format example):

RDA-I2-01M Metadata uses FAIR-compliant vocabularies

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *I2: (Meta)data use vocabularies that follow the FAIR principles.* More information about that principle can be found [here](#).

Description of the indicator RDA-I2-01M

The indicator requires the vocabulary used for the metadata to conform to the FAIR principles, and at least be documented and resolvable using globally unique and persistent identifiers. The documentation needs to be easily findable and accessible.

Assessment details

The indicator can be evaluated by verifying that each of the vocabularies used in the metadata is documented and resolvable using globally unique and persistent identifiers, with the documentation being easily findable and accessible. Typically, the reference to the specification of the vocabularies used will be included in the documentation of the digital object or the repository where it is kept.

RDA-I2-01D Data uses FAIR-compliant vocabularies

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *I2: (Meta)data use vocabularies that follow the FAIR principles*. More information about that principle can be found [here](#).

Description of the indicator RDA-I2-02D

The indicator requires the controlled vocabulary used for the data to conform to the FAIR principles, and at least be documented and resolvable using globally unique and persistent identifiers. The documentation needs to be easily findable and accessible.

Assessment details

The indicator can be evaluated by verifying that each of the vocabularies used in the data is documented and resolvable using globally unique and persistent identifiers, with the documentation being easily findable and accessible. Typically, the reference to the specification of the vocabularies used will be included in the documentation of the digital object or the repository where it is kept.

RDA-I3-01M Metadata includes references to other metadata

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *I3: (Meta)data include qualified references to other (meta)data*. More information about that principle can be found [here](#).

Description of the indicator RDA-I3-01M

The indicator is about the way that metadata is connected to other metadata, for example through links to information about organisations, people, places, projects or time periods that are related to the digital object that the metadata describes.

Assessment details

The indicator can be evaluated by looking at the occurrence of references to other metadata, for example ORCID¹⁴ for people or Geonames¹⁵ for places.

RDA-I3-01D Data includes references to other data

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *I3: (Meta)data include qualified references to other (meta)data*. More information about that principle can be found [here](#).

Description of the indicator RDA-I3-01D

This indicator is about the way data is connected to other data, for example linking to previous or related research data that provides additional context to the data.

Assessment details

The indicator can be evaluated by looking at the presence of references to other data in the data. For example, there may be links to other resources in cells in a spreadsheet, or in RDF-based data.

RDA-I3-02M Metadata includes references to other data

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *I3: (Meta)data include qualified references to other (meta)data*. More information about that principle can be found [here](#).

¹⁴ <https://orcid.org/>

¹⁵ <https://www.geonames.org/>

Description of the indicator RDA-I3-02M

This indicator is about the way metadata is connected to other data, for example linking to previous or related research data that provides additional context to the data. Please note that this is not about the link from the metadata to the data it describes; that link is considered in principle F3 and in indicator RDA-F3-01M.

Assessment details

The indicator can be evaluated by looking at the presence of references to other data in the metadata.

RDA-I3-02D Data includes qualified references to other data

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: I3: (Meta)data include qualified references to other (meta)data. More information about that principle can be found [here](#).

Description of the indicator RDA-I3-02D

This indicator is about the way data is connected to other data. The references need to be qualified which means that the relationship role of the related resource is specified, for example that a particular link is a specification of a unit of measurement, or the identification of the sensor with which the measurement was done.

Assessment details

The indicator can be evaluated by looking at the presence of references with specification of the relationship role that the related resource has with the data resource.

RDA-I3-03M Metadata includes qualified references to other metadata

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: I3: (Meta)data include qualified references to other (meta)data. More information about that principle can be found [here](#).

Description of the indicator RDA-I3-03M

This indicator is about the way metadata is connected to other metadata, for example to descriptions of related resources that provide additional context to the data. The references need to be qualified which means that the relationship of the related resource is specified, for example person Y *is the author of* dataset X.

Assessment details

The indicator can be evaluated by looking at the presence of references with specification of the relationship that the related resource has to the described resource.

RDA-I3-04M Metadata includes qualified references to other data

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *I3: (Meta)data include qualified references to other (meta)data*. More information about that principle can be found [here](#).

Description of the indicator RDA-I3-04M

This indicator is about the way metadata is connected to other data. The references need to be qualified which means that the relationship role of the related resource is specified, for example dataset X is derived from dataset Y.

Assessment details

The indicator can be evaluated by looking at the presence of references with specification of the relationship role that the related resource has with the described resource.

3.5 Indicators for Reusable

RDA-R1-01M Plurality of accurate and relevant attributes are provided to allow reuse

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *R1: (Meta)data are richly described with a plurality of accurate and relevant attributes*. More information about that principle can be found [here](#).

Description of the indicator RDA-R1-01M

The indicator concerns the quantity but also the quality of metadata provided in order to enhance data reusability.

What should be evaluated?

This indicator can be evaluated with the help of standards registries such as the RDA-endorsed FAIRsharing (see https://fairsharing.org/standards/?q=/format&selected_facets=type_exact:reporting%20guideline) for example: https://fairsharing.org/standards/?q=/format&selected_facets=type_exact:reporting%20guideline).

RDA-R1.1-01M Metadata includes information about the licence under which the data can be reused

Principle to which the indicator relates

This indicator is linked to the following principle: *R1.1: (Meta)data are released with a clear and accessible data usage license*. More information about that principle can be found [here](#).

Description of the indicator RDA-R1.1-01M

This indicator is about the information that is provided in the metadata related to the conditions (e.g. obligations, restrictions) under which data can be reused.

Assessment details

This indicator can be evaluated by looking in the metadata for licence information. This information may be in human-readable text; machine-understandability of the information is covered in indicator R1.1-04M.

RDA-R1.1-02M Metadata refers to a standard reuse licence

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *R1.1: (Meta)data are released with a clear and accessible data usage license*. More information about that principle can be found [here](#).

Description of the indicator RDA-R1.1-02M

This indicator requires the reference to the conditions of reuse to be a standard licence, rather than a locally defined licence.

Assessment details

The indicator can be evaluated by verifying that the licence is indeed a standard licence. Examples of standard licences are: [Creative Commons licences](#), [Open Data Commons](#).

RDA-R1.1-03M Metadata refers to a machine-understandable reuse licence

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *R1.1: (Meta)data are released with a clear and accessible data usage license*. More information about that principle can be found [here](#).

Description of the indicator RDA-R1.1-03M

This indicator is about the way that the reuse licence is expressed. Rather than being a human-readable text, the licence should be expressed in such a way that it can be processed by machines, without human intervention, for example in automated searches.

Assessment details

The indicator can be evaluated by verifying that the link to the licence resolves to a machine-understandable expression of the conditions. An example of such a machine-understandable expression is the [RDF expression of Creative Commons licences](#), or the [various serialisations of the Open Data Rights Language \(ODRL\)](#).

RDA-R1.2-01M Metadata includes provenance information according to community-specific standards

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *R1.2: (Meta)data are associated with detailed provenance*. More information about that principle can be found [here](#).

Description of the indicator RDA-R1.2-01M

This indicator requires the metadata to include information about the provenance of the data, i.e. information about the origin, history or workflow that generated the data, in a way that is compliant with the standards that are used in the community in which the data is produced.

Assessment details

The indicator can be evaluated by verifying that the provenance information follows the community standard. A RDA-endorsed service like [FAIRsharing](#) could be helpful to identify the relevant standards.

RDA-R1.2-02M Metadata includes provenance information according to a cross-community language

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *R1.2: (Meta)data are associated with detailed provenance*. More information about that principle can be found [here](#).

Description of the indicator RDA-R1.2-02M

This indicator requires that the metadata provides provenance information according to a cross-domain language.

Assessment details

The indicator can be evaluated by assessing whether a cross-domain language is used for provenance information (such as [PROV-O](#)).

RDA-R1.3-01M Metadata complies with a community standard

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *R1.3: (Meta)data meet domain-relevant community standards*. More information about that principle can be found [here](#).

Description of the indicator RDA-R1.3-01M

This indicator requires that metadata complies with community standards.

Assessment details

The indicator can be evaluated by verifying that the metadata follows a community standard. A service like the RDA-endorsed [FAIRsharing](#) could be helpful to identify the relevant standards.

RDA-R1.3-01D Data complies with a community standard

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *R1.3: (Meta)data meet domain-relevant community standards*. More information about that principle can be found [here](#).

Description of the indicator RDA-R1.3-01D

This indicator requires that data complies with community standards.

Assessment details

The indicator can be evaluated by verifying that the data follows a community standard. A service like the RDA-endorsed [FAIRsharing](#) could be helpful to identify the relevant standards.

RDA-R1.3-02M Metadata is expressed in compliance with a machine-understandable community standard

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *R1.3: (Meta)data meet domain-relevant community standards*. More information about that principle can be found [here](#).

Description of the indicator RDA-R1.3-02M

This indicator requires that the metadata follows a community standard that has a machine-understandable expression.

Assessment details

This indicator can be evaluated by verifying that the community standard used for the metadata has a machine-understandable expression.

RDA-R1.3-02D Data is expressed in compliance with a machine-understandable community standard

Principle – as defined by GO FAIR – to which the indicator relates

This indicator is linked to the following principle: *R1.3: (Meta)data meet domain-relevant community standards*. More information about that principle can be found [here](#).

Description of the indicator RDA-R1.3-02D

This indicator requires that the data follows a community standard that has a machine-understandable expression.

Assessment details

This indicator can be evaluated by verifying that the community standard used for the data has a machine-understandable expression.

4 Priorities

Among the set of indicators for FAIRness, 20 of the indicators are classified as *Essential*, 14 *Important* and 7 *Useful* (Figure 1).




Figure 1 Distribution of priorities

Table 2 Distribution of priorities per FAIR area

Priority	Principle				Grand Total
	Findable	Accessible	Interoperable	Reusable	
Essential	7	8	0	5	20
Important	0	3	7	4	14
Useful	0	1	5	1	7
Grand Total	7	12	12	10	41

4.1 Essential indicators

Table 3 Essential indicators

ID	Essential indicators
RDA-F1-01M	Metadata is identified by a persistent identifier
RDA-F1-01D	Data is identified by a persistent identifier
RDA-F1-02M	Metadata is identified by a globally unique identifier
RDA-F1-02D	Data is identified by a globally unique identifier
RDA-F2-01M	Rich metadata is provided to allow discovery
RDA-F3-01M	Metadata includes the identifier for the data
RDA-F4-01M	Metadata is offered in such a way that it can be harvested and indexed
RDA-A1-02M	Metadata can be accessed manually (i.e. with human intervention)
RDA-A1-02D	Data can be accessed manually (i.e. with human intervention)
RDA-A1-03M	Metadata identifier resolves to a metadata record
RDA-A1-03D	Data identifier resolves to a digital object
RDA-A1-04M	Metadata is accessed through standardised protocol
RDA-A1-04D	Data is accessible through standardised protocol
RDA-A1.1-01M	Metadata is accessible through a free access protocol
RDA-A2-01M	Metadata is guaranteed to remain available after data is no longer available
RDA-R1-01M	Plurality of accurate and relevant attributes are provided to allow reuse
RDA-R1.1-01M	Metadata includes information about the licence under which the data can be reused
RDA-R1.3-01M	Metadata complies with a community standard
RDA-R1.3-01D	Data complies with a community standard
RDA-R1.3-02M	Metadata is expressed in compliance with a machine-understandable community standard

4.2 Important indicators

Table 4 Important indicators

ID	Important indicators
RDA-A1-01M	Metadata contains information to enable the user to get access to the data
RDA-A1-05D	Data can be accessed automatically (i.e. by a computer program)
RDA-A1.1-01D	Data is accessible through a free access protocol
RDA-I1-01M	Metadata uses knowledge representation expressed in standardised format
RDA-I1-01D	Data uses knowledge representation expressed in standardised format
RDA-I1-02M	Metadata uses machine-understandable knowledge representation
RDA-I1-02D	Data uses machine-understandable knowledge representation
RDA-I2-01M	Metadata uses FAIR-compliant vocabularies
RDA-I3-01M	Metadata includes references to other metadata
RDA-I3-03M	Metadata includes qualified references to other metadata
RDA-R1.1-02M	Metadata refers to a standard reuse licence
RDA-R1.1-03M	Metadata refers to a machine-understandable reuse licence
RDA-R1.2-01M	Metadata includes provenance information according to community-specific standards
RDA-R1.3-02D	Data is expressed in compliance with a machine-understandable community standard

4.3 Useful indicators

Table 5 Useful indicators

ID	Useful indicators
RDA-A1.2-02D	Data is accessible through an access protocol that supports authentication and authorisation
RDA-I2-01D	Data uses FAIR-compliant vocabularies
RDA-I3-01D	Data includes references to other data
RDA-I3-02M	Metadata includes references to other data
RDA-I3-02D	Data includes qualified references to other data
RDA-I3-04M	Metadata include qualified references to other data
RDA-R1.2-02M	Metadata includes provenance information according to a cross-community language

5 Evaluation methods

5.1 Measuring progress

This approach is focused on the extent to which a resource under evaluation meets the requirement of the indicator, in order to answer the question:

“How can the FAIRness of this data be improved?”

The indicator maturity levels are defined as follows:

- 0 – not applicable
- 1 – not being considered this yet
- 2 – under consideration or in planning phase
- 3 – in implementation phase
- 4 – fully implemented

The FAIRness progress per indicator is an evaluation of each indicator against these five levels of compliance. It gives the possibility to ‘discard an indicator’ as it might not be relevant for a particular community. The rationale of this approach is to give credit for evolution and help people to improve.

This approach may be most useful for data providers and publishers who want to do a self-assessment test to get a better idea on where to concentrate efforts to make their resources more FAIR.

A visualisation of the results of the evaluation of the indicators for all the FAIR areas could be presented as follows:




Figure 2 Five maturity levels




Figure 3 'Measuring progress' visualisation

The data provider or publisher could see from this visualisation that the resources are findable, and that the other areas are well developed with a small number of indicators requiring some more work.

5.2 Measuring pass-or-fail

This approach is focused on determining how a resource under evaluation performs on meeting the indicators across the FAIR areas. In that sense, it is a stricter evaluation as it gives a binary answer on each of the indicators, in effect only counting the indicators that reach top level 4 in the approach that measures progress in the previous section.

Here is an example to illustrate:

RDA-F4-01M Metadata is offered in such a way that it can be harvested and indexed.

- Metadata cannot be harvested and indexed > **FAIL**
- Metadata can be harvested and indexed > **PASS**

In addition to measuring the passing or failing on individual indicators, this approach measures the FAIRness per area by taking into account the priorities. It is measured per indicator – and aggregated per FAIR area. The level per area is determined based on the compliance to priorities. This is used to provide a ‘measure of FAIRness’.

	Essential	Important	Useful
Level 0	○		
Level 1	●		
Level 2	●	◐	
Level 3	●	●	
Level 4	●	●	◐
Level 5	●	●	●

○ None of the indicators are satisfied

◐ Half of the indicators are satisfied

● All indicators are satisfied

Figure 4 Five compliance levels

This method may be most useful for external evaluators, for example community managers or funding agencies that want to verify that the resources that they manage or fund comply with a pre-defined level of FAIRness.

A visualisation of the results of this evaluation method could be as follows:




Figure 5 'Measuring pass or fail' visualisation

In this visualisation, the evaluator can compare the level of FAIRness of a resource to an expected level for the community or the funding programme. In this example, it shows that the evaluated resource does not reach a minimum level of FAIRness for Accessible and Reusable.

The results shown on this visualisation relates to the same input provided for the "Measuring progress" method, as illustrated on Figure 3.

The data provider or publisher could see that from this graph, the digital object evaluated has a (1) **level 5** for Findability and (2) a **level 3** for Interoperability, which translate to (1) having all Findable indicators satisfied whereas (2) only the essential Interoperable indicators are satisfied. In other words, despite having almost all Interoperable criteria satisfied, as seen on Figure 3, a minority of the useful criteria are satisfied, which justifies a **level 3**. As for Accessibility and Interoperability, not all the essential criteria are satisfied which justifies a **level 0**.

5.3 Combined approach

The two approaches outlined in the sections above can be combined to bring together the benefits of the both approaches.

The evaluation could start as the first step with measuring the progress per indicator, leading to a set of radar charts.

The second step would then summarise all the indicators for which the highest level, the level that is reached when the requirement for an indicator has been fully implemented, is reached to give the data for the pass-or-fail results.

The editorial team has built a FAIR evaluation tool which permits anyone to self-evaluate a resource and get results for both approaches. The tool can be downloaded [here](#).

6 Future maintenance

The FAIR Maturity Model described in this document is intended as a first version of the model. It is conceivable that in the future evolving experience with assessment methods for the FAIR principles and, possibly, further evolution of the FAIR principles may require changes to the model.

The maintenance of the model will be taken up by an RDA Maintenance Working Group that will be tasked to gather further evidence of usage of the model and interact with research communities to incorporate further requirements towards future versions of the model. All information related to the establishment of an RDA Maintenance Working Group and the maintenance activities that shall be carried out within that context will be communicated later.

7 Glossary

Table 6 Glossary

Term	Definition	Source	Related term	Used in
Access conditions	The exact conditions under which a Resource is accessible, expressed as requirements that a machine can understand to either automatically execute the requirements or alert the user to the requirements, such as the requirement to create a user account.	GO-FAIR		RDA-A1-01M
Access control	A way of limiting access to a system or to physical or virtual resources.	Techopedia	(related) Authorization	RDA-A1-01M
Authentication	The act of proving an assertion, such as the identity of a computer system user.	Wikipedia , also Techterms , Merriam-Webster , Cambridge Dictionary		RDA-A1.2-02D
Authorization	The function of specifying access rights/privileges to resources, which is related to information security and computer security in general and to access control in particular.	Wikipedia , also Merriam-Webster , Cambridge Dictionary	(related) Access control	RDA-A1.2-02D
Automated (or automatic) access to data	Access using programmatic means, e.g. an API or SPARQL endpoint			RDA-A1-05D
Community standard, community-specific standard, domain/discipline standard	A standard for metadata or data that is recognised and widely used within a community.			RDA-F2-01M, RDA-R1-01M, RDA-R1.2-01M, RDA-R1.3-01M, RDA-R1.3-01D, RDA-R1.3-02M, RDA-R1.3-02D
Cross-domain language (for provenance)	An expression of provenance that can be used to represent and interchange provenance information generated in different systems and under different contexts, e.g. W3C PROV Ontology .		(broader) Provenance information	RDA-R1.2-02M

RDA FAIR data maturity model Working Group

Data, digital object	A resource consisting of units of information, such as observations or measurements, being the primary subject of the FAIR evaluation.			Throughout
Discovery	The act of encountering something, often involving searching or navigating in a database.			RDA-F2-01M
Essential	Adjective used for an indicator that must be met in all cases for an object to be considered FAIR. This may be domain- or context-dependent.		Mandatory	
FAIR-compliant vocabulary	A vocabulary that is documented, resolvable and machine-understandable using globally unique and persistent identifiers.	GO-FAIR		RDA-I2-01M
Free access protocol	A protocol that can be used free of cost.	GO-FAIR	(broader) Protocol	RDA-A1.1-01M, RDA-A1.1-01D
Important	Adjective used for an indicator that should be met in most cases, unless there are circumstances where an object could still be FAIR if the requirement is not met, for example if the information is not applicable. This may be domain- or context-dependent.		Recommended	
Knowledge representation	Either (a) a set of concepts in a controlled vocabulary, an ontology or thesaurus, or (b) a data model, i.e. a well-defined framework to describe and structure metadata or data.	GO-FAIR	(narrower) Machine-understandable knowledge representation , Self-describing knowledge representation (related) Metadata , Vocabulary	All indicators under I1
Licence (re-use)	A legal document that specifies what a user can do with a resource.		(narrower) Standard licence , Machine-understandable licence	RDA-R1.1-01M, RDA-R1.1-02M, RDA-R1.1-03M
Machine-	A knowledge representation		(broader)	RDA-I1-02M,

RDA FAIR data maturity model Working Group

understandable knowledge representation	that is expressed in such a way that a machine can take a decision on further actions.		Knowledge representation	RDA-I1-02D
Machine-understandable licence	A licence that is expressed in such a way that a machine can take a decision on further actions.		(broader) Licence	
Mandatory	Adjective used for an indicator that must be met. Used in earlier versions of the indicators. Now replaced by 'Essential'.	RFC2119 : MUST	Essential	
Metadata	Information describing the characteristics of a resource including, for example, structural information describing data structures (e.g., data format, syntax, and semantics) and descriptive information describing data contents (e.g., information security labels).	NIST	(narrower) Metadata record , Metadata element , Metadata statement	
Metadata record	A set of metadata statements that is identified as a group.		(broader) Metadata (related) Metadata statement	
Metadata element	A property that is used to describe a characteristic, for example Dublin Core dc:title , Schema.org schema:name or DataCite Title.		(broader) Metadata	
Metadata statement	A single characteristic of a resource, usually expressed as a property-value pair, e.g. Title="My data".		(broader) Metadata	
Ontology	A formalised set of concepts relevant to a particular area of interest, representing rich and complex knowledge about things, groups of things, and relations between things, as well as a set of constraints about the usage of its terms.	W3C	(related) Vocabulary	
Open source access protocol	A protocol that is licensed under an Open Source licence , which implies it can be freely used, modified, and shared.	GO-FAIR	(broader) Protocol	

RDA FAIR data maturity model Working Group

Optional	Adjective used for an indicator that may be evaluated at the discretion of the evaluator. Used in earlier versions of the indicators. Now redefined as 'Useful'	RFC2119 : MAY	Useful	
Persistent identifier	An identifier that is guaranteed to remain valid over time. This guarantee requires an institutional commitment on the part of the publisher or maintainer of the identifier, and may include a guarantee that the identifier will continue to resolve to the same resource for a specific period of time.		(related) Universally unique identifier	
Protocol	A method by which a user or machine can gain access to a resource, for example HTTP(S) or FTP for access to resources on the Internet, or a telephone number and instructions to call the person or organisation that owns or manages the resource.	GO-FAIR	(narrower) Free access protocol , Open source access protocol	
Provenance information	Information about the origin and history of a resource. May include a description of the workflow that led to the resource, who generated or collected it and how it was processed.	GO-FAIR	(narrower) Cross-domain language (for provenance)	
Qualified reference	A reference that specifies its relationship to the resource that contains the reference.		(broader) Reference	
Recommended	Adjective used for an indicator that must be evaluated but does not have to be met necessarily, i.e. there could be certain circumstances that not meeting the requirement does not constitute a failure. Used in earlier versions of the indicators. Now replaced by 'Important'.	RFC2119 : SHOULD	Important	
Reference	A link from one resource to another, for example a citation, or a URL, that allows a user to find or access the other resource.		(narrower) Qualified reference	

Resolution, resolving	The process in which an identifier is the input — a request — to a network service to receive in return a specific output of one or more pieces of current information (state data) related to the identified entity: e.g., a location (URL).	DOI Handbook		
Resource	Anything that is accessed and/or reused and of which the FAIRness is being assessed, including metadata and datasets.		(narrower) Metadata Data, digital object	
Reuse	The act of using an existing resource for a different purpose or in a different context. This may involve republishing and creating derivatives as far as allowed under the licence specified for reuse of the resource.			
Self-describing knowledge representation	A knowledge representation that comes with information that describes itself, e.g. with metadata about the knowledge representation such as a SKOS Concept Scheme.		(broader) Knowledge representation	
Standard	An agreed way of doing something, a norm. A standard provides the requirements, specifications, guidelines or characteristics that can be used for the description, interoperability, citation, sharing, publication, or preservation of all kinds of digital objects such as data, code, algorithms, workflows, software, or papers.	FAIRsharing FAQ		
Standard licence	A licence that is defined in a published and recognised specification.		(broader) Licence	
Standard vocabulary	A vocabulary that is defined in a standard. See for example the FAIRsharing standards list .		(broader) Vocabulary	
Standardised protocol	A protocol that is defined in a published and recognised specification.		(broader) Protocol	

RDA FAIR data maturity model Working Group

Taxonomy	Orderly classification of things according to their relationships.	Wikipedia	(broader) Vocabulary	
Thesaurus	A list of subject headings or descriptors usually with a cross-reference system for use in the organization of a collection of documents for reference and retrieval		(broader) Vocabulary	
Universally unique identifier	An identifier that is guaranteed to uniquely identify a particular resource, irrespective of the context, i.e. making it impossible for the same identifier to refer to different resources. Not to be confused with UUID/RFC4122 .		(related) Persistent identifier	
Useful	Adjective used for an indicator that may be met in some cases, increasing the FAIRness of a resource. This may be domain- or context-dependent.		Optional	
Vocabulary, controlled vocabulary	A set of terms or concepts that can be used in the description of a resource. This includes taxonomies , ontologies and thesauri .	Adapted from the ANDS Vocabularies and research data Guide , section "What is a vocabulary?"	(narrower) Standard vocabulary (related) Ontology Taxonomy Thesaurus (related) Knowledge representation	

8 Working Group materials

Table 7 Working group presentations and meeting reports

Date	Title	File
21/02/2019	Workshop #1 presentation	[Link to the document]
01/03/2019	Workshop #1 meeting report	[Link to the document]
03/04/2019	Workshop #2 presentation	[Link to the document]
06/05/2019	Workshop #2 meeting report	[Link to the document]
18/06/2019	Workshop #3 presentation	[Link to the document]
24/06/2019	Workshop #3 meeting report	[Link to the document]
12/09/2019	Workshop #4 presentation	[Link to the document]
19/09/2019	Workshop #4 meeting report	[Link to the document]
23/10/2019	Workshop #5 presentation	[Link to the document]
14/11/2019	Workshop #5 meeting report	[Link to the document]
04/12/2019	Workshop #6 presentation	[Link to the document]
11/12/2019	Workshop #6 meeting report	[Link to the document]
13/02/2020	Workshop #7 presentation	[Link to the document]
20/02/2020	Workshop #7 meeting report	[Link to the document]
24/03/2020	Workshop #8 presentation	[Link to the document]
03/04/2020	Workshop #8 meeting report	[Link to the document]